

A quick overview

Working height: 25m

Max reach: 21.2m

Power: Electric




Magni RTH 5.25SH

Specifications




Contact us on **0800 865 4455**


On fully extended stabilisers




On tyres




Jib width winch 3,500kg




Jib width winch 5,000kg




Jib width winch 1,500kg






Jib width winch 2,000kg




Jib width winch 3,000kg




Jib 2,000kg



REP 1,000kg




Basket 800kg Winch 300kg



Magni RTH 5.25SH




Maximum lifting height	25m / 82ft
Maximum outreach	21.2m / 69ft 7in
Minimum weight	18,000kg / 39,780 lbs
Lifting capacity	4,999kg / 11,048 lbs
Machine length	7.62m / 25ft
Machine width	2.5m / 8ft 2in
Machine height	3.15m / 10ft 4in
Gradeability	41%
Cage rotation	360 degrees
Power	Diesel



Magni RTH 5.25SH

Specifications

Maximum lifting height	25m / 82ft
Maximum outreach	21.2m / 69ft 7in
Minimum weight	18,000kg / 39,780 lbs
Lifting capacity	4,999kg / 11,048 lbs
Machine length	7.62m / 25ft
Machine width	2.5m / 8ft 2in
Machine height	3.15m / 10ft 4in
Gradeability	41%
Cage rotation	360 degrees
Power	Diesel



Contact us today on
0800 865 4455

Email: Info@hiresafesolutions.com